

Micro Separations Micro Cellulose Thimbles Type-MCT

Micro Separations Cellulose Extraction Thimbles have a reputation for purity and consistent high quality. Cellulose extraction thimbles are produced high quality cellulose cotton linter which has excellent mechanical strength and retentivity.

Features and Benefits

- Designed to fit most commercial available Soxhlet Extractors
- Temperature Resistant (150° C)
- Available in arrange of size and wall thickness to suit your application



Specifications

Properties	Unit of Measurement	Value	Variations
Media	n/a	Cellulose	n/a
Thickness	mm	Single Or Double	-
Particle Retention for Single Thickness	µm	For single thickness 10 µm Nominal Particle Retention	-
Particle Retention for Double Thickness	µm	For Double thickness 6 µm Nominal Particle Retention	-
Maximum Operative Temperature	Centigrade (° C)	150° C	Max.
Binder	-	No Binder	-

*Thickness of Thimbles used as per Application Smoke Stack gas monitoring

Ordering Information

Nominal Internal Diameter X External Length (mm)	Catalogue Number	Quantity/Packs
	Grade MCT	
19mm x 90mm	MCT1990	25 Pcs. Per pack.
22mm x 80mm	MCT2280	25 Pcs. Per pack.
25mm x 80mm	MCT2580	25 Pcs. Per pack.
25mm x 100mm	MCT25100	25 Pcs. Per pack.
28mm x 80mm	MCT2880	25 Pcs. Per pack.
28mm x 100mm	MCT28100	25 Pcs. Per pack.
30mm x 80mm	MCT3080	25 Pcs. Per pack.
30mm x 100mm	MCT30100	25 Pcs. Per pack.
33mm x 80mm	MCT3380	25 Pcs. Per pack.
33mm x 100mm	MCT33100	25 Pcs. Per pack.